

With this certificate we testify that the product
SMART-DISPLAY SSD-S

of our Device Partner

SENECA s.r.l.

follows the best practices for device
interaction with Cumulocity.



Cumulocity GmbH is recommending this product for productive use cases.
The following setup was tested:

Hardware	SMART-DISPLAY-S rev. 1
Firmware	SW01978 v. 4091
Agent	thin-edge.io v. 1.7.1

**The certification was executed on Cumulocity Version 2026.25.0 on
2026-02-02 14:59 UTC.**

On the following page, a detailed description of supported capabilities is listed.

FOUNDATION MODULES

- ✓ Agent Information
- ⊘ Basic Device Information
- ✓ Hardware Information
- ✓ Firmware Information
- ✓ External ID
- ✓ Sending Operational Data
- ✓ Sending Operational Data - Measurements
- ⊘ Sending Operational Data - Events
- ⊘ Sending Operational Data - Alarms

OPTIONAL MODULES

- ⊘ Child Device Management
 - ⊘ Child Devices Creation
 - ⊘ Child Devices Control
- ⊘ Log File Retrieval
- ⊘ Device Configuration
 - ⊘ Text-Based Configuration
 - ⊘ File-Based Configuration
- ⊘ Software Management
- ⊘ Firmware Management
- ⊘ Device Profile
- ✓ Restart
- ⊘ Measurement Request
- ⊘ Shell
- ⊘ Device Remote Access Connect
 - ⊘ SSH Remote Connection
 - ⊘ VNC Remote Connection
- ⊘ Location & Tracking
- ⊘ Network Interfaces
 - ⊘ Display c8y_WAN Settings
 - ⊘ Manage c8y_WAN Settings
 - ⊘ Display c8y_LAN Settings
 - ⊘ Manage c8y_LAN Settings
 - ⊘ Display c8y_DHCP Settings
 - ⊘ Manage c8y_DHCP Settings
- ⊘ Device Mobile

